


## GLASS TILES


The essence of the plain Glassworks collection lies in its versatility. Perfectly proportioned tiles that are ideal for traditional properties as well as modern homes. Use the thicker tiles (A) to complement stone and high quality ceramics such as Earthworks or Colour Palette; use the slimmer tiles (B) for coverage of larger areas in glass alone or team with thinner ceramic tiles.




Yukon  
Clear  
100x100x10mm  
(4" x 4" x 3/8")  
GW-YUK410C



Ganges  
Clear  
48x48x10mm  
(1 7/8" x 1 7/8" x 3/8")  
GW-GAN210C



Yukon  
Frosted  
100x100x10mm  
(4" x 4" x 3/8")  
GW-YUK410F



(A) 10mm thick



(B) 5mm thick





Above: Glass: Ganges clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-GAN210C  
Stone: Original Style Ancient Ligurian 400x200x15mm – EW-AL40X20  
Tile: Original Style Colour Palette Gold 100x100x10mm (4" x 4" x 3/8") – NA5900  
Paint: Original Style Flax acrylic emulsion – PT013

Left: Glass: Yukon clear 100x100x10mm (4" x 4" x 3/8") – GW-YUK410C  
Glass: Yukon frosted 100x100x10mm (4" x 4" x 3/8") – GW-YUK410F  
Stone: Original Style Aegean Mosaic Mykanos 300x300x4mm – EW-AGMYK  
Tile: Original Style Colour Palette Graphite 100x100x10mm (4" x 4" x 3/8") – NN590

## GLASS TILES



These small but dazzling tiles represent an understated yet vibrant alternative to the more conventional sizes.



- Above right: Glass: Volga clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-VOL210C  
 Glass: Mississippi clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-MSP210C  
 Glass: Columbia clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-COL210C  
 Paint: Original Style Savannah acrylic emulsion – PT040
- Above: Glass: Ganges frosted 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-GAN210F  
 Glass: Seine frosted 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-SEN210F  
 Stone: Original Style Umbrian Gold Filled 300x300x12mm – EW-UGF30X30  
 Stone: Original Style Bullnose Giallo 300x29x19mm – EW-BNG30  
 Paint: Original Style Verdigris acrylic emulsion – PT039

## GLASS TILES


The sparkling qualities of glass are enhanced as light reflects and radiates from every single tile.



- Above right: Glass: Danube clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-DAN210C  
 Glass: Rhine clear 100x100x10mm (4" x 4" x 3/8") – GW-RHN410C  
 Stone: Original Style Tuscany Marble Bianco 100x100x10mm – EW-TMBIANCO
- Above: Glass: Loire clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-LOR210C  
 Glass: Seine frosted 152x50x6mm (6" x 2" x 1/4") – GW-SEN656BF  
 Stone: Original Style Old Aquitaine 300x300x10mm – EW-OA30X30


## GLASS TILES

Combine with ceramic tiles, stone or mosaics for crisp, clean lines and a contemporary feel. Simply create your very own style – and relax.



Yukon  
Frosted  
100x100x10mm  
(4" x 4" x 3/8")  
GW-YUK410F

Yukon  
Clear  
100x100x10mm  
(4" x 4" x 3/8")  
GW-YUK410C



Thames  
Clear  
48x48x10mm  
(1 7/8" x 1 7/8" x 3/8")  
GW-THA210C



Thames  
Frosted  
100x100x10mm  
(4" x 4" x 3/8")  
GW-THA410F

Above right: Glass: Thames clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-THA210C  
Glass: Thames frosted 100x100x10mm (4" x 4" x 3/8") – GW-THA410F  
Tiles: Original Style Colourworks Brilliant White 152x152x6mm (6" x 6" x 1/4") – A9000  
Tiles: Original Style Colourworks Brilliant White Omega – A9909

Above: Glass: Yukon clear 100x100x10mm (4" x 4" x 3/8") – GW-YUK410C  
Glass: Yukon frosted 100x100x10mm (4" x 4" x 3/8") – GW-YUK410F  
Tiles: Original Style Colour Palette Graphite 100x100x10mm (4" x 4" x 3/8") – NN5900  
Stone: Original Style Aegean Mosaic Mykanos 300x300x5mm – EW-AGMYK

## GLASS TILES

The opportunity to create outstanding designs is limited only by your imagination. Glassworks tiles are available in seven sizes which can be combined to create dramatic effects.





Above right: Glass: Bosphorous clear 100x100x10mm (4" x 4" x 3/8") – GW-BOS410C  
Glass: Euphrates clear 100x100x100mm (4" x 4" x 3/8") – GW-EUP410C  
Glass: Murray clear 100x100x10mm (4" x 4" x 3/8") – GW-MUR410C  
Stone: Original Style Graphite Black Slate 600x400x10mm – EW-GB60X40  
Stone: Original Style Graphite Black Slate 100x100x10mm – EW-GB10X10  
Paint: Original Style Gentian acrylic emulsion – PT059

Above: Glass: Mackenzie clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-MAC210C  
Glass: Volga clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-VOL210C  
Glass: Volga frosted 152x50x6mm (6" x 2" x 1/4") – GW-VOL656BF

## GLASS TILES

Larger sized tiles are particularly suited to the coverage of more extensive areas. But, of course, you can also devise interesting and innovative effects by complementing or contrasting with smaller tiles.







Above right: Glass: Yangtze clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-YAN210C  
Glass: Yangtze frosted 152x152x6mm (6" x 6" x 1/4") – GW-YAN606F  
Stone: Original Style Old Aquitaine 600x400x15mm – EW-OA60X40

Above: Glass: Arkansas clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-ARK210C  
Glass: Volga clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-VOL210C  
Stone: Original Style Umbrian Gold Diamond Sawn 400x200x12mm – EW-UG40X20DS

# GLASS TILES


Whether using one colour alone, or mixing from our palette of complementary hues, there is a combination available for every installation.



- Left: Glass: Tigris clear 100x100x10mm (4"x 4"x 3/8") – GW-TIG410C  
Paint: Original Style Sail and Flax acrylic emulsion – PT009 and PT013  
(Glass tiles side lit by wall lights)
- Above: Glass: Fraser clear 100x100x10mm (4"x 4"x 3/8") – GW-FRA410C  
Glass: Chico clear 100x100x10mm (4"x 4"x 3/8") – GW-CHI410C  
Glass: Ganges clear 100x100x10mm (4"x 4"x 3/8") – GW-GAN410C  
Stone: Original Style Umbrian Gold Filled 400x200x12mm – EW-UGF40X20

## GLASS TILES

Dramatic colours capture and reflect light, making smaller rooms appear more spacious. Whether an urban bathroom or a chic, contemporary kitchen, they focus the eye on the space around you.



Above right: Glass: Indus clear 398x198x6mm (15 3/4" x 7 7/8" x 1/4") – GW-IND1606C  
Glass: Mekong clear 100x100x10mm (4" x 4" x 3/8") – GW-MEK410C  
Stone: Original Style Graphite Black Slate 600x400x10mm – EW-GB60X40

Above: Glass: Mekong clear 198x198x6mm (7 7/8" x 7 7/8" x 1/4") – GW-MEK806C  
Glass: Indus Clear 48x48x10mm (1 7/8" x 1 7/8" x 3/8") – GW-IND210C  
Tile: Original Style Colourworks Brilliant White Rectangle 152x25mm (6" x 1") – A9221



## THE GLASSWORKS COLLECTION





# GLASSWORKS

## THE GLASSWORKS COLLECTION

CLEAR FINISH	48 x 48 x 10mm (17/8" x 17/8" x 3/8")	100 x 100 x 5mm (4" x 4" x 3/16")	100 x 100 x 10mm (4" x 4" x 3/8")	152 x 50 x 6mm (6" x 2" x 1/4")	152 x 152 x 6mm (6" x 6" x 1/4")	198 x 198 x 6mm (77/8" x 77/8" x 1/4")	398 x 198 x 6mm (153/4" x 77/8" x 1/4")
Amazon	GW-AMA210C	GW-AMA405C	GW-AMA410C	GW-AMA656BC	GW-AMA606C		
Arkansas	GW-ARK210C		GW-ARK410C				
Avon	GW-AVO210C		GW-AVO410C				
Bosporus	GW-BOS210C	GW-BOS405C	GW-BOS410C	GW-BOS656BC	GW-BOS606C		
Chico	GW-CHI210C		GW-CHI410C				
Columbia	GW-COL210C	GW-COL405C	GW-COL410C	GW-COL656BC	GW-COL606C		
Colorado	GW-COR210C		GW-COR410C			GW-COR806C	GW-COR1606C
Congo	GW-CON210C	GW-CON405C	GW-CON410C	GW-CON656BC	GW-CON606C		
Danube	GW-DAN210C	GW-DAN405C	GW-DAN410C	GW-DAN656BC	GW-DAN606C	GW-DAN806C	GW-DAN1606C
Elbe	GW-ELB210C		GW-ELB410C				
Euphrates	GW-EUP210C	GW-EUP405C	GW-EUP410C	GW-EUP656BC	GW-EUP606C		
Fraser	GW-FRA210C		GW-FRA410C				
Ganges	GW-GAN210C	GW-GAN405C	GW-GAN410C	GW-GAN656BC	GW-GAN606C	GW-GAN806C	GW-GAN1606C
Indus	GW-IND210C		GW-IND410C			GW-IND806C	GW-IND1606C
Loire	GW-LOR210C		GW-LOR410C				
Mackenzie	GW-MAC210C		GW-MAC410C				
Mekong	GW-MEK210C		GW-MEK410C			GW-MEK806C	GW-MEK1606C
Mississippi	GW-MSP210C		GW-MSP410C			GW-MSP806C	GW-MSP1606C
Missouri	GW-MOR210C	GW-MOR405C	GW-MOR410C	GW-MOR656BC	GW-MOR606C		
Moselle	GW-MSL210C	GW-MSL405C	GW-MSL410C	GW-MSL656BC	GW-MSL606C		
Murray	GW-MUR210C		GW-MUR410C				
Nile	GW-NIL210C	GW-NIL405C	GW-NIL410C	GW-NIL656BC	GW-NIL606C		
Orinoco	GW-ORN210C	GW-ORN405C	GW-ORN410C	GW-ORN656BC	GW-ORN606C		
Rhine	GW-RHN210C		GW-RHN410C				
Tigris	GW-TIG210C		GW-TIG410C				
Seine	GW-SEN210C	GW-SEN405C	GW-SEN410C	GW-SEN656BC	GW-SEN606C		
Tagus	GW-TAG210C		GW-TAG410C				
Thames	GW-THA210C	GW-THA405C	GW-THA410C	GW-THA656BC	GW-THA606C	GW-THA806C	GW-THA1606C
Volga	GW-VOL210C	GW-VOL405C	GW-VOL410C	GW-VOL656BC	GW-VOL606C	GW-VOL806C	GW-VOL1606C
Yangtze	GW-YAN210C	GW-YAN405C	GW-YAN410C	GW-YAN656BC	GW-YAN606C		
Yukon	GW-YUK210C		GW-YUK410C				
Zambezi	GW-ZAM210C	GW-ZAM405C	GW-ZAM410C	GW-ZAM656BC	GW-ZAM606C		



# THE GLASSWORKS COLLECTION

FROSTED FINISH	48 x 48 x 10mm (1 7/8" x 1 7/8" x 3/8")	100 x 100 x 5mm (4" x 4" x 3/16")	100 x 100 x 10mm (4" x 4" x 3/8")	152 x 50 x 6mm (6" x 2" x 1/4")	152 x 152 x 6mm (6" x 6" x 1/4")	198 x 198 x 6mm (7 7/8" x 7 7/8" x 1/4")	398 x 198 x 6mm (15 3/4" x 7 7/8" x 1/4")
Amazon	GW-AMA210F	GW-AMA405F	GW-AMA410F	GW-AMA656BF	GW-AMA606F	-	-
Bosphorus	GW-BOS210F	GW-BOS405F	GW-BOS410F	GW-BOS656BF	GW-BOS606F	-	-
Columbia	GW-COL210F	GW-COL405F	GW-COL410F	GW-COL656BF	GW-COL606F	-	-
Colorado	GW-COR210F		GW-COR410F			-	-
Congo	GW-CON210F	GW-CON405F	GW-CON410F	GW-CON656BF	GW-CON606F	-	-
Danube	GW-DAN210F	GW-DAN405F	GW-DAN410F	GW-DAN656BF	GW-DAN606F	-	-
Elbe	GW-ELB210F		GW-ELB410F			-	-
Euphrates	GW-EUP210F	GW-EUP405F	GW-EUP410F	GW-EUP656BF	GW-EUP606F	-	-
Ganges	GW-GAN210F	GW-GAN405F	GW-GAN410F	GW-GAN656BF	GW-GAN606F	-	-
Loire	GW-LOR210F		GW-LOR410F			-	-
Mississippi	GW-MSP210F		GW-MSP410F			-	-
Missouri	GW-MOR210F	GW-MOR405F	GW-MOR410F	GW-MOR656BF	GW-MOR606F	-	-
Moselle	GW-MSL210F	GW-MSL405F	GW-MSL410F	GW-MSL656BF	GW-MSL606F	-	-
Murray	GW-MUR210F		GW-MUR410F			-	-
Nile	GW-NIL210F	GW-NIL405F	GW-NIL410F	GW-NIL656BF	GW-NIL606F	-	-
Orinoco	GW-ORN210F	GW-ORN405F	GW-ORN410F	GW-ORN656BF	GW-ORN606F	-	-
Rhine	GW-RHN210F		GW-RHN410F			-	-
Seine	GW-SEN210F	GW-SEN405F	GW-SEN410F	GW-SEN656BF	GW-SEN606F	-	-
Tagus	GW-TAG210F		GW-TAG410F			-	-
Thames	GW-THA210F	GW-THA405F	GW-THA410F	GW-THA656BF	GW-THA606F	-	-
Volga	GW-VOL210F	GW-VOL405F	GW-VOL410F	GW-VOL656BF	GW-VOL606F	-	-
Yangtze	GW-YAN210F	GW-YAN405F	GW-YAN410F	GW-YAN656BF	GW-YAN606F	-	-
Yukon	GW-YUK210F		GW-YUK410F			-	-
Zambezi	GW-ZAM210F	GW-ZAM405F	GW-ZAM410F	GW-ZAM656BF	GW-ZAM606F	-	-

## IMPORTANT INFORMATION

### DIMENSIONS

Nominal dimensions for all Original Style glass tiles are shown throughout the brochure. Owing to their hand-finished character, actual dimensions for individual tiles will vary from these figures. However, this is the number of tiles you will need per square metre or square foot. In addition, we recommend you allow for at least an additional 5% for cutting/wastage.

Tile area calculations:

48 x 48mm (1<sup>7</sup>/<sub>8</sub>" x 1<sup>7</sup>/<sub>8</sub>" tiles  
- 20 tiles per linear mtr; 6.4 per linear ft

100 x 100mm (4" x 4") tiles  
- 100 tiles per sq mtr; 9 per sq ft

152 x 50mm (6" x 2") tiles  
- 7 tiles per linear mtr; 2 per linear ft

152 x 152mm (6" x 6") tiles  
- 44 tiles per sq mtr; 4 per sq ft

198 x 198mm (7<sup>7</sup>/<sub>8</sub>" x 7<sup>7</sup>/<sub>8</sub>" tiles  
- 25 tiles per sq mtr; 2.3 per sq ft

200 x 40mm (7<sup>15</sup>/<sub>16</sub>" x 1<sup>5</sup>/<sub>8</sub>" tiles  
- 3 tiles per linear mtr; 1.5 per linear ft

398 x 198mm (15<sup>3</sup>/<sub>4</sub>" x 7<sup>7</sup>/<sub>8</sub>" tiles  
- 12.5 tiles per sq mtr; 1.2 per sq ft

Please note: All of the above dimensions are subject to a tolerance of  $\pm 2.5\text{mm}$  or  $\frac{3}{32}"$

### SHADING

As each tile is individually coloured, there may be distinctive yet subtle variations in shade. This is an inherent feature of Original Style's glass tiles. You may wish, therefore, to spend some time to achieve the most pleasing distribution of shades before fixing. Each decorative tile is handmade therefore uniquely individual. When planning designs it is important to dry lay the tiles prior to fixing. Due to the different density, 5mm and 10mm tiles will vary in tone.

### INSTALLATION

As with any other glass product, ensure Glassworks tiles are handled with care, in particular, where tiles are being cut or have been broken. Please ensure that the surfaces do not come into contact with each other or sharp/abrasive objects. Appropriate safety precautions should be taken if cutting glass, including protective equipment for hands and eyes.

Original Style glass tiles are not recommended for exterior use.

Other Original Style products, such as ceramic tiles and stone, which are shown in this brochure, have their own installation requirements. Please ensure you refer to the relevant Original Style brochure for these products before installing.

Adhesive must be applied evenly due to the transparent nature of some tiles. Failure to do this can lead to the adhesive being visible through the tiles in certain light. This applies in particular to the decorative and mosaic ranges.

For glass tiles, in particular, before commencing installation it is important to read the **Glassworks Installation Guidelines – Fixing and Cleaning Instructions** (applicable in the United Kingdom only).

In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with American National Standards Institution (ANSI) specifications as set out in the **Handbook for Ceramic Tile Installation** published by the Tile Council of America.



## IMPORTANT INFORMATION

### GROUTING

Particular care should be taken to use the correct grout. Read carefully and follow the manufacturer's instructions.

Original Style does not recommend using coloured grouts unless the adhesive supplier has stated that the coloured grout is suitable for use with glass tiles.

Original Style would recommend a grout space of approximately 2mm for the plain and mosaic glass. Due to the handmade nature of the decorative glass it is imperative to dry lay the tiles before fixing to establish correct grout spacing. We recommend an approximate distance of 2 - 3mm.

### EQUINOX TILES

Colour and patina vary within this range and should be considered when installing.

Avoid slurry grouting these tiles, finger grout around the tile to avoid getting the grout in the patina.

### IRIDESCENT DROP-IN TILES

Due to production methods used in creating this range it is important to use a thicker/stiffer consistency of grout to avoid leaching between tile layers.

Colour variation is inherent with these tiles which should be considered when planning your tiling.

The clear Drop-in tiles can be fixed either side. It is therefore important to achieve the desired effect before fixing.

Additionally, please note the level of reflectivity can be influenced by the depth of grout, test before fixing to achieve the desired effect.

### CLEANING

Wash down glass tile surfaces with clean water or a normal spirit, glass or window cleaner. Please ensure a soft cloth is used to avoid scratching.

### SCRATCHING

As with all glass products, glass tiles can be scratched. We recommend that care is taken in installation and that glass tiles are not put in high-risk areas for scratching.

### USE OF GLASS TILES ON COUNTER TOP SURFACES

Original Style does not recommend glass tiles are used on counter tops, see Scratching above.

### USE OF GLASS TILES NEAR HEAT

Original Style recommends tiles are installed a minimum of 3cm from any heat source. This will include any hot water pipe-work concealed within walls and any radiant heat sources such as heated towel rails or radiators.

### PHOTOGRAPHY

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Original Style retailer to show you samples.

### LIMITS OF LIABILITY

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to the purchase of the product and does not extend to consequential loss. Claims cannot be considered after the tiles have been installed.

Original Style warrants that its tiles conform to their description and are fit for their purpose.

The company makes no other express or implied warranty as to fitness or merchantability. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

