



Mixed Glass Mosaics


Look no further for extraordinary value and quality in classic glass mosaics. The excellence of this material, and its consistently high quality throughout firing, rolling, cutting, selection and assembly make it a natural first choice with professionals. The wide range of mixed colours - and their contrasts within the 'mixed' range - guarantee wide appeal with homemakers too.




ANDAMAN
300x300x5mm
GW-ANDMOS




ARABIAN
300x300x5mm
GW-ARBMOS




ATLANTIC
300x300x5mm
GW-ATLMOS




BARING
300x300x5mm
GW-BARMOS




BEAUFORT
300x300x5mm
GW-BEAMOS




CARIBBEAN
300x300x5mm
GW-CARMOS




CORAL
300x300x5mm
GW-CRLMOS




INDIAN
300x300x5mm
GW-IDNMOS




MEDITERRANEAN
300x300x5mm
GW-MEDMOS



PACIFIC
300x300x5mm
GW-PACMOS



RED
300x300x5mm
GW-REDMOS





TASMAN
300x300x5mm
GW-TASMOS


MOSAICS

Plain Glass Mosaics


The simplicity of single colours, used on their own or to complement many of the other products in our catalogues, can produce beautifully understated decorative effects – or by contrast, others that are dramatically stunning. Such are the options available within a wide and versatile palette of plain glass colours.




AMUNDSEN
300x300x5mm
GW-AMUMOS




AQABA
300x300x5mm
GW-AQAMOS




ARAJURA
300x300x5mm
GW-AJRMOS




JAVA
300x300x5mm
GW-JAVMOS




KARA
300x300x5mm
GW-KARMOS



MARMARA
300x300x5mm
GW-MARMOS



SULU
300x300x5mm
GW-SULMOS




TIMOR
300x300x5mm
GW-TIMMOS

MOSAICS


Tumbled Beach Washed Single Mosaic

Like a precious 'find' on a sea shore, this tumbled glass mosaic has qualities of softness and sheen that appeal to both eye and touch. The soft edges and aqueous tones absorb rather than reflect light and add great charm to settings which, although simple in overall effect, are full of interest and perfect for contemporary interiors.


Not suitable for swimming pools.



CHICO
304x304x10mm
GW-CHIMOST




COLORADO
304x304x10mm
GW-CORMOST




DANUBE
304x304x10mm
GW-DANMOST




MISSOURI
304x304x10mm
GW-MORMOST




MOSELLE
304x304x10mm
GW-MSLMOST




SEINE
304x304x10mm
GW-SENMOST



THAMES
304x304x10mm
GW-THAMOST



VOLGA
304x304x10mm
GW-VOLMOST





ZAMBEZI
304x304x10mm
GW-ZAMMOST

MOSAICS


Tumbled Beach Washed Mixed Mosaic

Part of the charm of these softened glass mixtures is that at first they appear to impose the formality of a repeat pattern, where in fact there is none. Each piece is applied at random, bringing an added vitality to the vibrant, ocean-washed hues that make these mosaics a perfect choice for bath and shower rooms.


Not suitable for swimming pools.




ATHABASCA
304x304x10mm
GW-ATHMOST




ERIE
304x304x10mm
GW-EREMOST




HURON
304x304x10mm
GW-HURMOST




MANITOBA
304x304x10mm
GW-MANMOST




MICHIGAN
304x304x10mm
GW-MCGMOST




ONTARIO
304x304x10mm
GW-ONTMOST



SUPERIOR
304x304x10mm
GW-SUPMOST



TAHOE
304x304x10mm
GW-TAHMOST




WINNIPEG
304x304x10mm
GW-WINMOST

Tumbled Earth Mixed 48

Misted hues of moor, meadow and shoreline, captured in what are ostensibly 4.8cm squares of tumbled glass. Look again and you will see that each translucent 'square' has been tumbled to soften and age the edges. Shape, size and colours here conspire to create an effect of charming informality.


Not suitable for swimming pools.



ALBERT
304x304x10mm
GW-ALBMOS48T




CHAD
304x304x10mm
GW-CHAMOS48T



MWERU
304x304x10mm
GW-MWRMOS48T



NYASA
304x304x10mm
GW-NYSMOS48T



TANGANYIKA
304x304x10mm
GW-TGKMOS48T




VICTORIA
304x304x10mm
GW-VCTMOS48T


Tumbled Earth Single Brickbond Mosaic

Here is order, achieved subtly with this stabilising pattern that arrests the eye and brings a stillness to the setting. Neutral earth tones, inspired by nature, enhance the calming effect of the brick pattern, the detail of which provides a subtle counterpoint to large, plain surface areas in kitchens and bathrooms.


Not suitable for swimming pools.




AMUR
304x304x10mm
GW-AURMOSBBT




AVON
304x304x10mm
GW-AVOMOSBBT




CHICO
304x304x10mm
GW-CHIMOSBBT




DARLING
304x304x10mm
GW-DARMOSBBT




GANGES
304x304x10mm
GW-GANMOSBBT




MADEIRA
304x304x10mm
GW-MRAMOSBBT



PARANA
304x304x10mm
GW-PRNMOSBBT



SEVERN
304x304x10mm
GW-SEVMOSBBT




URAL
304x304x10mm
GW-URLMOSBBT

Tumbled Earth Mixed Brickbond Mosaic

Set entirely at random, the rhythm of what appears at first glance to be a repeat pattern in the tesserae is immediately appealing in these handsome mixes of 'earthy' mosaics. Inspired by the subtler hues in the natural world, the colours in the glass are further softened by tumbling.

Not suitable for swimming pools.



ALBERT
304x304x10mm
GW-ALBMOSBBT




CHAD
304x304x10mm
GW-CHAMOSBBT



MWERU
304x304x10mm
GW-MWRMOSBBT



NYASA
304x304x10mm
GW-NYSMOSBBT



TANGANYIKA
304x304x10mm
GW-TGKMOSBBT




VICTORIA
304x304x10mm
GW-VCTMOSBBT

Offset Sky Single Clear Mosaic


Offset Sky Mixed Clear Mosaic

Clean, jewel-like colours, as clear and sharp as a winter's bell. Offsetting the mosaics scatters the richness of the colours in a score of different directions, creating an aura of luxury.


Not suitable for swimming pools.




COLUMBIA
304x304x10mm
GW-COLMOSOFFC




MISSISSIPPI
304x304x10mm
GW-MSPMOSOFFC




BERENTS
304x304x10mm
GW-BNTMOSOFFC




BENGAL
304x304x10mm
GW-BGLMOSOFFC




PECHORA
304x304x10mm
GW-PCHMOSOFFC




SASKATCHEWAN
304x304x10mm
GW-SKWMSOFFC




BISCAY
304x304x10mm
GW-BCYMOSOFFC




HATTERAS
304x304x10mm
GW-HATMOSOFFC




VOLGA
304x304x10mm
GW-VOLMOSOFFC



YUKON
304x304x10mm
GW-YUKMOSOFFC



HUDSON
304x304x10mm
GW-HUDMOSOFFC




ROSS
304x304x10mm
GW-ROSMOSOFFC

Offset Sky Single Frosted Mosaic


Offset Sky Mixed Frosted Mosaic

Tripping the light fantastic. Colours seen through frost on a windowpane. Cool, muted tints, transformed into shades by the simple offsetting of the beautifully coloured glass mosaics.


Not suitable for swimming pools.




COLUMBIA
304x304x10mm
GW-COLMOSOFFF




MISSISSIPPI
304x304x10mm
GW-MSPMOSOFFF




BERENTS
304x304x10mm
GW-BNTMOSOFFF




BENGAL
304x304x10mm
GW-BGLMOSOFFF




PECHORA
304x304x10mm
GW-PCHMOSOFFF




SASKATCHEWAN
304x304x10mm
GW-SKWMOSOFFF




BISCAY
304x304x10mm
GW-BCYMOSOFFF




HATTERAS
304x304x10mm
GW-HATMOSOFFF




VOLGA
304x304x10mm
GW-VOLMOSOFFF



YUKON
304x304x10mm
GW-YUKMOSOFFF



HUDSON
304x304x10mm
GW-HUDMOSOFFF



ROSS
304x304x10mm
GW-ROSMOSOFFF



Important Information

Please read through the following information carefully. It will help you select the correct tiles for your application and will guide you through installing and maintaining your choice.

Glass

Dimensions

Nominal dimensions for all Original Style glass mosaics are shown throughout the brochure. Owing to their hand-finished character, actual dimensions for individual tiles will vary from these figures.

Shading

As each tile is individually coloured, there may be distinctive yet subtle variations in shade. This is an inherent feature of Original Style's glass mosaics. You may wish, therefore, to spend some time to achieve the most pleasing distribution of shades before fixing.

Installation

As with any other glass product, ensure Glassworks mosaics are handled with care, in particular where tiles are being cut or have been broken. Please ensure that the surfaces do not come into contact with each other or sharp/abrasive objects. Appropriate safety precautions should be taken if cutting glass, including protective equipment for hands and eyes.

Adhesive must be applied evenly due to the transparent nature of some of the tiles. Failure to do this can lead to the adhesive being visible through the tiles in certain lights.

For glass mosaics, before commencing installation it is important to read the **Installation Guidelines – Fixing and Cleaning Instructions** (applicable in the United Kingdom only).

In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with American National Standards Institution (ANSI) specifications as set out in the **Handbook for Ceramic Tile Installation** published by the Tile Council of America.

Grouting

Particular care should be taken to use the correct grout. Read carefully and follow the manufacturer's instructions.

Original Style does not recommend using coloured grouts unless the adhesive supplier has stated that the coloured grout is suitable for use with glass mosaics. It is important to use a fine grade grout to avoid scratching the surface of glass mosaics.

Cleaning

Wash down glass mosaics surfaces with clean water or a normal spirit, glass or window cleaner. Please ensure a soft cloth is used to avoid scratching.

Scratching

As with all glass products, glass mosaics can be scratched. We recommend that care is taken in installation and that glass mosaics are not put in high-risk areas for scratching.

Use of glass mosaics on counter top surfaces

Original Style does not recommend glass mosaics are used on counter tops due to the possibility of scratching (see above).

Use of glass mosaics near heat

Original Style recommends mosaics are installed a minimum of 3cm from any direct heat source.

Metal

DUE TO THEIR METALLIC NATURE IT IS ESSENTIAL THAT A QUALIFIED ELECTRICIAN CARRIES OUT ALL ELECTRICAL WORK AROUND THE METAL MOSAICS.

Make sure that the grain of stainless steel is going in the right direction, if not, the sheet will appear to be different colours.

Ceramics

Colour Variation

The distinctive yet subtle variations in hue within each mosaic and between individual pieces enhance the character of the installation. Accordingly, we recommend that your fitter spends some time to achieve the most pleasing distribution of shades.

Tile Sizes

Nominal sizes and thicknesses for each type of tile are given throughout the brochure. Due to the high degree of hand-finishing, however, these should be treated as a guide only.

When calculating the number of tiles you will require, do not forget to make an allowance for cutting and wastage.

Fixing

It is important that the fitter understands the requirements for surface preparation, the pattern or blended effect you want and protecting newly laid tiles from ongoing work.



Stone

Choose the right Stone Mosaics

Most of our Stone Mosaics are porous to some extent. If they are laid outside, it is possible water could be absorbed and the tile then become susceptible to frost damage.

All stone is a natural product and subject to colour variation, blemishes, size variation and sometimes staining. We strongly recommend you read through the **Earthworks - Fixing and Sealing Guide** to ascertain if the stone is appropriate for your proposed use. If you are uncertain please ask your Original Style retailer for further information. Original Style cannot accept any responsibility for issues raised in this Important Product Information once the product has been laid or installed.

Colour Variation

These stone mosaics are made from natural products. It follows, therefore, that there may be some variation in colour from one tile to another. It also means that a single sample tile should not be taken as a completely accurate indication of colour.

The distinctive yet subtle variations in hue within each stone mosaic and between individual pieces enhance the character of the installation. Accordingly, we recommend that your fitter spends some time to achieve the most pleasing distribution of shades.

Blemishes

Similarly, due to the natural origins of these products, some of our stone mosaics may have minor chips or blemishes. Such relatively insignificant imperfections should be considered normal and not the result of poor or faulty workmanship.

Tile Sizes

Nominal sizes and thicknesses for each type of tile are given throughout the brochure. Due to the high degree of hand-finishing, however, these should be treated as a guide only.

When calculating the number of tiles you will require, do not forget to make an allowance for cutting and wastage.

Natural stone is heavy and thus handling/delivery requires important consideration. We would therefore recommend that great care and attention is given when attempting to handle these products.

Fixing

We strongly recommend that your fitter obtains a free leaflet **Earthworks - Fixing and Sealing Guide** (available from the Original Style website www.originalstyle.com) and reads it thoroughly prior to commencing any work. This leaflet explains fully the steps necessary to plan, fix and seal your stone mosaics and how to maintain them in first class condition in years ahead.

In particular, it is important that the fitter understands the requirements for surface preparation, the pattern or blended effect you want and protecting newly laid tiles from ongoing work.

It is imperative that the substrate is reasonably level and that there should be no flexibility. If fixing on to wooden floors; they should be made as stable as possible with sheets of marine grade plywood. If using underfloor heating please refer to the manufacturer when installing. Tiles/stone can be damaged if subjected to rapid heat changes causing thermal expansion/contraction. The products in this brochure should not be laid onto flat, asphalt-covered roofs in areas subject to frost.

Power Showers

If using in a power shower it is important to use an adhesive and grout specifically for power showers.

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Original Style retailer to show you samples.

Limits of Liability

Original Style accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed.

Original Style warrants that its tiles conform to their description and are fit for their purpose.

Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

Please note: use of inappropriate acid-based cleaning products may cause some of the mosaics to react and change in character.